



# PANTHER SILENT

ANISH OF AFTINA OF ANISH OF AN

SILENT TRANSPORTATION OF PALLETS

SILENT AND SMOOTH MOVEMENT

**IMPORTANT FEATURES** 

A SUSTAINABLE SOLUTION



#### Panther Silent - A unique and perfect solution for silent pallet transportation

The Panther Silent is a manual pallet truck that has its name from its extremely silent and smooth movement

The pallet truck has special rubber wheels, which derives several valuable benefits for our customers.

First off, the Panther Silent allows you to operate in crowded areas, such as retail and grocery stores, without disturbing others or causing unnecessary noise. The rubber wheels ensure silent and easy transportation - also with heavy loads.

Secondly, the soft rubber wheels - on both steering and fork wheels - are very gentle to the floor and flagstone layer. This way you avoid the risk of making marks on the floor, to the tiles or other surfaces, while operating a loaded pallet truck.

In addition, the rubber wheels are very robust,

which makes the Panther Silent well suited for outdoor operation. The surface of the wheels is unbreakable, and it repels small items like metallic chips, small stones, snow etc. You can operate the pallet trucks in gravel or snow - nothing will stick to or block the wheels.

Finally, the special rubber wheels make the pallet truck very easy to maneuver. The wheels slide smoothly over the surface and with the Panther Silent you can move heavy pallets effortless and silently.

The Panther Silent has a strong construction and a capacity of 4400 lbs.



#### Silent and smooth movement

The Panther Silent is ideal for transporting pallets in public areas. The special rubber wheels on both steering and fork wheels ensure very silent and smooth movement - for the operator and the surroundings.

It is tested to below 60 dBA, which equals the noise level of a normal conversation or an air conditioner. This justifies the label "very silent movement".

Due to the many benefits of the Panther Silent we experience a very high user satisfaction with this product, as it solves several issues for the customers.

A smooth and effortless manoeuvrability improves the experience for the operator, and the silent and non-disturbing movement is highly appreciated by the surroundings.

In addition, the soft touch on the floor and flagstone layer, which is often used in customer areas, reduces the risk of making marks to the surface, while transporting goods.

We use a special oil for all products, which is tested in cold atmospheres down to at least -10 degrees C.



### Important features

Besides the special rubber wheels, the pallet truck has other benefits, which all contribute to the high user satisfaction of the product:

- Strong construction
- Minimal friction of all movable parts
- Tight tolerance
- Low truck weight
- Tight turning angle




#### A sustainable solution


High quality is one of the ground pillars of our business and a promise to our customers. Our products have strong constructions and long operating lives - and the Panther Silent is no exception. We have examples of pallet trucks from the 1980s still operating.

The Panther Silent is tested with up to 46,000 lifts and the maintenance costs are at a minimum. This ensures a sustainable product for your working environment.

In addition, the robust surface and soft touch of the rubber wheels on your floor or flagstone layer, reduce the risk of damaging the floor, while moving pallets and goods around. This adds to a nice and presentable working environment - and keeps your maintenance costs down.








PRODUCT (measured in inch)		Panther Silent PS2082
Capacity i lbs		4400 lbs
Lifting height	h <sub>3</sub>	h <sub>13</sub> + 4.75
Fork length	ι	23.5, 32, 36, 38, 42, 45, 48, 60, 71, 79, 94.5*
Overall height	h <sub>1</sub>	h <sub>13</sub> + 16.25
Fork span	b <sub>5</sub>	20.5, 27
Lenght without forks	l <sub>2</sub>	13.25
Overall length	l <sub>1</sub>	l + 13.25
Fork width	е	6.25
Wheelbase	У	l+1
Overall height	h <sub>14</sub>	46
Lowered height - adjustable	h <sub>13</sub>	3.25 to 3.5
Load centre	С	I/2
Ground clearance	m <sub>2</sub>	h <sub>13</sub> - 1.75
Turning angle of the wheels		220°
Fork wheels - twin		Ø85 x 88
Steering wheel		Ø200 x 50
Weight		137 lbs. (20.5 x 45)

<sup>\*</sup>Reduced capacity 3300 lbs.











# **Quality Ergonomic Lifting Equipment**

## **Logitrans US Inc**

(888) 345-1270 sales@logitrans.com www.logitrans.com





